

AD-A207 274

BY CLASSIFICATION OF THIS PAGE

## FILE COPY REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

②

REPORT SECURITY CLASSIFICATION  
UNCLASSIFIED

SECURITY CLASSIFICATION AUTHORITY

DECLASSIFICATION/DOWNGRADING SCHEDULE

PERFORMING ORGANIZATION REPORT NUMBER(S)

NAME OF PERFORMING ORGANIZATION

Low Laboratories, Inc.

ADDRESS (City, State, and ZIP Code)  
Ft. Lee, Virginia 221026b. OFFICE SYMBOL  
(If applicable)

1b. RESTRICTIVE MARKINGS

3. DISTRIBUTION/AVAILABILITY OF REPORT

Approved for public release;  
distribution unlimited

5. MONITORING ORGANIZATION REPORT NUMBER(S)

7a. NAME OF MONITORING ORGANIZATION

7b. ADDRESS (City, State, and ZIP Code)

8a. NAME OF FUNDING/SPONSORING  
ORGANIZATION U.S. Army Medical  
Research & Development Command8b. OFFICE SYMBOL  
(If applicable)  
SGRD-RMI-S

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

DAMD17-86-C-6188

8c. ADDRESS (City, State, and ZIP Code)

Fort Detrick  
Frederick, Maryland 21701-5012

10. SOURCE OF FUNDING NUMBERS

PROGRAM  
ELEMENT NO.  
62770APROJECT  
NO. 3M1-  
62770A870TASK  
NO.  
ACWORK UNIT  
ACCESSION NO.  
029

11. TITLE (Include Security Classification)

(U) Safety Testing of Dengue-1 and Dengue-3 Seeds for Human Challenges, Unattenuated  
Hepatitis A Virus, Strain HM-175

12. PERSONAL AUTHOR(S)

Potash, Louis

13a. TYPE OF REPORT

Phase

13b. TIME COVERED

FROM 1/31/89 TO 3/21/89

14. DATE OF REPORT (Year, Month, Day)

1989 March 21

15. PAGE COUNT

10

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD	GROUP	SUB-GROUP
06	13	
06	03	

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

Dengue-1; Dengue-3; Hepatitis A; Viral seeds; Vaccine; RA-1

SECRET

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

→ Hepatitis A Virus Vaccine, Strain HM-175, FI-2, Lot No.1 of Jan 89  
(5 ml Inactivated with 0.05% Formalin, Adsorbed with Alum containing  
preservative: 0.375% phenoxyethanol) was satisfactorily (Final Container)  
→ safety tested in accordance with the guidelines established by the FDA for  
live and inactivated vaccines as stipulated in 21 CFR, Parts 610.11 and  
610.12. All testing procedures were carried out following Good Laboratory  
Practices (GLP) regulations (21 CFR, Part 58).

Keywords:

S ELECTED D  
APR 28 1989  
H

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

☐ UNCLASSIFIED UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

UNCLASSIFIED

22a. NAME OF RESPONSIBLE INDIVIDUAL  
Mary Frances Bostian22b. TELEPHONE (Include Area Code)  
301/663-732522c. OFFICE SYMBOL  
SGRD-RMI-S

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

089 4 28 140

AD \_\_\_\_\_

SAFETY TESTING OF DENGUE-1 AND DENGUE-3 SEEDS  
FOR HUMAN CHALLENGES, UNATTENUATED;  
HEPATITIS A VIRUS, STRAIN HM-175

PHASE REPORT

LOUIS POTASH

March 21, 1989

Supported by

U.S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND  
Fort Detrick, Frederick, Maryland 21701-5012

CONTRACT NO. DAMD17-86-C-6188

Flow Laboratories, Inc.  
McLean, Virginia 22102

Approved for public release; distribution unlimited

The findings in this report are not to be construed as an  
official Department of the Army position unless so designated  
by other authorized documents.

FOREWORD

In conducting the research described in this report, the investigator(s) adhered to the Guide for the Care and Use of Laboratory Animals prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (DHHS, PHS, NIH Publications No. 85-23, Revised 1985).



Accession For		
NTIS GRA&I	<input checked="checked" type="checkbox"/>	
DTIC TAB	<input type="checkbox"/>	
Unannounced	<input type="checkbox"/>	
Justification		
By		
Distribution/		
Availability Codes		
Dist	Avail and/or Special	
A-1		

## TABLE OF CONTENTS

	Foreword .....	1
I.	Introduction .....	3
II.	Synopsis .....	4
III.	Detailed Summary .....	5
	A. Inoculum .....	5
	B. Final Product Testing and Results .....	5
	1. Microbial Sterility .....	5
	2. General Safety .....	5
	Tables (I and II) .....	6
	Distribution Page .....	8

## I. INTRODUCTION

The accompanying protocol is a description of the final container safety testing of a hepatitis A virus vaccine designated as:

Hepatitis A Virus Vaccine, Strain HM-175  
FI-2, LOT No. 1, Jan 89  
5 ml Inactivated with 0.05% Formalin  
Adsorbed with Alum  
Preservative: 0.375% phenoxyethanol

Utilizing the testing procedures herein described, this fluid is considered to have passed satisfactorily the tests for Microbial Sterility and General Safety. The detailed records leading to the preparation of this Final Container Vaccine and subsequent safety testing may be found in the laboratory notebooks located at:

The Walter Reed Army Institute of Research (WRAIR), Bldg. 501,  
Washington, DC 20307-5100 - (Dr. Ken Eckels)

The Experimental Virus Vaccine Production & Testing Laboratory -  
Suite #500 - Flow Laboratories, Inc., McLean, VA - (Dr. Louis Potash)

---

In conducting the tests described in this report, the investigator(s) adhered to the Good Laboratory Practices (GLP) regulations (21 CFR, Part 58) and followed the guidelines established by the FDA for live and inactivated vaccines as found in 21 CFR, Parts 610.11 and 610.12, April 1, 1988. The procedures employed are detailed in the following SOPs and recorded on the indicated WVPL Forms:

SOP No.:	400.002	-	Issued 25 Feb 1980, Revised	8 Feb 1989
	500.009	-	" 23 Feb 1981, "	3 Mar 1986
	500.013	-	" 14 Dec 1988	

WVPL FORM	#001	-	Issued 25 Feb 1981, Revised	10 Oct 1988
	#019	-	" 8 Oct 1984	
	#024	-	" 14 Dec 1988	

## II. SYNOPSIS

- A. Virus Strain                      Hepatitis A, Strain HM-175
- B. Pool Designation                  Vaccine FI-2, Lot No. 1, Jan 89  
5 ml Inactivated with 0.05% Formalin  
Adsorbed with Alum  
Preservative: 0.375% phenoxyethanol
- C. Treatment/Handling                Stored at 2°-8°C. Manually shaken prior  
to sampling.
- D. Final Product Container Testing (5 x 5 ml vials)
1. Microbial Sterility: 100 ml volumes  
of Fluid Thioglycollate & Tryptic  
Soya Broth Media                      No Growth
2. General Safety:
- a. Mice - IP                      (2 x 0.5 ml)                      Satisfactory
- b. Guinea Pigs - IP                (2 x 5.0 ml)                      Satisfactory

III. DETAILED SUMMARY RELATING TO THE FINAL CONTAINER TESTING OF A FORMALIN-INACTIVATED, ALUM-ADSORBED HEPATITIS A VIRUS VACCINE, STRAIN HM-175, FI-2 LOT NO. 1.

A. Inoculum

On January 31, 1989, the following Final Container Product was obtained from Dr. K. Eckels, Contracting Officer's Representative, at the Walter Reed Army Institute of Research (WRAIR), Bldg. 501, Washington, DC 20307-5100.

Hepatitis A Virus Vaccine, Strain HM-175  
FI-2, LOT No. 1, Jan 89  
5 ml Inactivated with 0.05% Formalin  
Adsorbed with Alum,  
Preservative: 0.375% phenoxyethanol  
Caution: New Drug Limited by  
(USA) Law to Investigational Use  
Dept. Biol. Rsch. WRAIR Wash DC: 5 x 5 ml vials

The vials were stored in a refrigerator (2° - 8°C).

B. Final Product Testing and Results

1. Microbial Sterility

In an effort to overcome any bacteriocidal or bacteriostatic affect of the preservative present in the vaccine, the assay for microbial sterility was based on the use of a 1 ml inoculum into 100 ml volumes of media. Initially, each vial was manually shaken and then, with the use of individual 1 ml tuberculin syringes w/needles, each of 5 bottles of Fluid Thioglycollate Medium (FTM, LOT WVPL-007) and each of 5 bottles of Tryptic Soya Broth (TSB, LOT WVPL-007) were inoculated with 1 ml amounts of the vaccine. Five bottles of each medium were included as uninoculated controls. All cultures were well shaken and incubated at 31°C (+ 1°C) and at 22° (+ 2°C), respectively, for 21 days with periodic observation for growth. No growth was observed in any of the cultures. The results are summarized in Table I.

2. General Safety Test

Initially, a master pool of the vaccine was prepared by pooling 2.5 ml amounts from each of the 5 available vials. Each of 2 overtly healthy CD-1 mice (less than 20 grams each) and each of 2 overtly healthy guinea pigs (Hartley strain, virus free - less than 400 grams each) were inoculated intraperitoneally with 0.5 ml and 5.0 ml, respectively, of the master pool. Two additional animals of each species were included as uninoculated controls. All animals were weighed prior to inoculation and on day 7 post inoculation. All animals were observed daily over this 7 day period for deaths and/or signs of illness or distress - none were recorded. All animals remained healthy and all exhibited weight gains. The results of these General Safety tests are summarized in Table II.

Table I. Microbial Sterility Test Results on the Hepatitis A Virus Vaccine,  
Strain HML75, Vaccine FI-2, Lot No. 1, Jan 89  
Inactivated with 0.05% Formalin, Adsorbed with Alum  
Preservative: 0.375% phenoxyethanol

Culture Medium	No.	Vol. per culture (ml)	Temperature	Date		Results
				On Test	Off Test	
<u>Fluid Thioglycollate</u>						
(FTM) LOT #VVPL-007	5	-----	31°C (+1°C)	2/24/89	3/17/89	No Growth
Alum Vaccine	5	1.0		2/24/89	3/17/89	No Growth
<u>Tryptone Soya Broth</u>						
(TSB) LOT #VVPL-007	5	-----	22°C (+2°C)	2/24/89	3/17/89	No Growth
Alum Vaccine	5	1.0		2/24/89	3/17/89	No Growth



Table II. General Safety Test Results on the Hepatitis A Virus  
Inactivated with 0.05% Formalin, Adsorbed with Alum  
Preservative: 0.375% phenoxyethanol

<u>Animal Species</u>	<u>Inoculum</u>	<u>Vol. (ml)</u>	<u>Tag #</u>	<u>Weight in Grams</u>		<u>Weight Gain/ (Loss) in Grams</u>
				<u>Day 0</u>	<u>Day 7</u>	
Mice	Vaccine	0.5	339	18.8	25.5	6.7
			340	16.5	27.5	11.0
	None	—	337	19.2	26.1	6.9
			338	17.0	28.5	11.5
Guinea Pigs	Vaccine	5.0	503	371.1	479.5	108.4
			504	393.0	469.2	76.2
	None	—	501	378.1	435.7	57.6
			502	403.0	480.2	77.2

DISTRIBUTION LIST

Director  
Walter Reed Army Institute of Research  
Walter Reed Army Medical Center  
ATTN: SGRD-UWZ-C  
Washington, DC 20307-5100 5 copies

Commander  
US Army Medical Research and  
Development Command  
ATTN: SGRD-RMI-S  
Fort Detrick  
Frederick, MD 21701-5012 1 copy

Defense Technical Information Center (DTIC)  
ATTN: DTIC-DDAC  
Cameron Station  
Alexandria, VA 22304-6145 2 copies

Dean  
School of Medicine  
Uniformed Services University of the  
Health Sciences  
4301 Jones Bridge Road  
Bethesda, MD 20814-4799 1 copy

Commandant  
Academy of Health Sciences  
US Army  
ATTN: AHS-CDM  
Fort Sam Houston, TX 78234-6100 1 copy